

L Number	Hits	Search Text	DB	Time stamp
1	3127	rebar	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 09:58
2	1139	rebar and coat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 09:59
3	1100	(rebar and coat\$3) and (process or procedure or method)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 09:59
4	795	((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:00
5	498	((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:00
6	58	((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar with (polymer\$3 or powder or epoxy))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:16
7	60	((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar with coat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:09
8	15	((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar with coat\$3)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar with (polymer\$3 or powder or epoxy))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:08
9	53	((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar with (deform\$3 or bend\$3 or wind\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:13
10	28	((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar with (deform\$3 or bend\$3 or wind\$3)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar with coat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:12
11	94	((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (deform\$3 or bend\$3 or wind\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:13

12	41	((((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (deform\$3 or bend\$3 or wind\$3))) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar with (deform\$3 or bend\$3 or wind\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:13
13	87	((((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (polymer\$3 or powder or epoxy))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:16
14	0	((((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (polymer\$3 or powder or epoxy)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:17
15	29	((((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (polymer\$3 or powder or epoxy))) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar with (polymer\$3 or powder or epoxy)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:18
16	790	((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) not (6-15)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:18
17	493	((((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) not (6-15)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:19
18	404	((((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (deform\$3 or bend\$3 or wind\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:19
19	46	richard near harding.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:21
20	387	((((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (deform\$3 or bend\$3 or wind\$3))) and (heat\$3 or cur\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:22

21	7	((((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (deform\$3 or bend\$3 or wind\$3))) and (heat\$3 or cur\$3)) and abrad\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:23
22	380	((((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (deform\$3 or bend\$3 or wind\$3))) and (heat\$3 or cur\$3)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (deform\$3 or bend\$3 or wind\$3))) and (heat\$3 or cur\$3)) and abrad\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:23
23	4	((((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (deform\$3 or bend\$3 or wind\$3))) and (heat\$3 or cur\$3)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (deform\$3 or bend\$3 or wind\$3))) and (heat\$3 or cur\$3)) and abrad\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:35
26	17	((((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (deform\$3 or bend\$3 or wind\$3))) and (heat\$3 or cur\$3)) and abrad\$3) and (rebar same (bend\$3 or deform\$3 or roll\$3 or wind\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:37



29	345	((((((((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (deform\$3 or bend\$3 or wind\$3))) and (heat\$3 or cur\$3)) not (((((((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (deform\$3 or bend\$3 or wind\$3))) and (heat\$3 or cur\$3)) and (rebar and (bend\$3 or deform\$3 or roll\$3 or wind\$3)) not (((((((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (deform\$3 or bend\$3 or wind\$3))) and (heat\$3 or cur\$3)) not (((((((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (deform\$3 or bend\$3 or wind\$3))) and (heat\$3 or cur\$3)) and (rebar.ab.)) not (((rebar and coat\$3) and (process or procedure or method)) and (polymer\$3 or epoxy)) and (bend\$3 or deform\$3 or wind\$3)) and (rebar same (polymer\$3 or powder or epoxy)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:56
30	3549294	wire or tubes or rods	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 10:59
31	133	(wire or tubes or rods) with (bend\$3 or deform\$3 or wind\$3) with coat\$3 with (polymer\$2 or powder or epoxy) with (heat\$3 or cur\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 11:10
32	820	(wire or tubes or rods) same (bend\$3 or deform\$3 or wind\$3) same coat\$3 same (polymer\$2 or powder or epoxy) same (heat\$3 or cur\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 11:11
33	687	((wire or tubes or rods) same (bend\$3 or deform\$3 or wind\$3) same coat\$3 same (polymer\$2 or powder or epoxy) same (heat\$3 or cur\$3)) not ((wire or tubes or rods) with (bend\$3 or deform\$3 or wind\$3) with coat\$3 with (polymer\$2 or powder or epoxy) with (heat\$3 or cur\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 11:11
34	41	((wire or tubes or rods) same (bend\$3 or deform\$3 or wind\$3) same coat\$3 same (polymer\$2 or powder or epoxy) same (heat\$3 or cur\$3)) not ((wire or tubes or rods) with (bend\$3 or deform\$3 or wind\$3) with coat\$3 with (polymer\$2 or powder or epoxy) with (heat\$3 or cur\$3)) and abrad\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 11:19

35	94	(29/819).CCLS.	USPAT; US-PGPUB	2004/07/24 11:23
36	13	(29/819).CCLS.	EPO; JPO; DERWENT; IBM_TDB	2004/07/24 11:26
37	7	spiral\$3 with steel with rebar	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 11:27
38	24	spiral\$3 with rebar	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 11:27
39	17	(spiral\$3 with rebar) not (spiral\$3 with steel with rebar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 11:29
40	27	rebar and (polymer\$3 with powder) and epoxy and (bend\$3 or deform\$3 or wind\$3 or roll\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 11:55
41	22	(rebar and (polymer\$3 with powder) and epoxy and (bend\$3 or deform\$3 or wind\$3 or roll\$3)) not (spiral\$3 with rebar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 11:31
42	837	rebar and (polymer\$3 or powder or epoxy) and (bend\$3 or deform\$3 or wind\$3 or roll\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 11:56
43	6	(rebar and (polymer\$3 or powder or epoxy) and (bend\$3 or deform\$3 or wind\$3 or roll\$3)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 11:57
44	71	rebar.ab. and ((polymer\$3 or powder or epoxy) and (bend\$3 or deform\$3 or wind\$3 or roll\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 11:57
45	65	(rebar.ab. and ((polymer\$3 or powder or epoxy) and (bend\$3 or deform\$3 or wind\$3 or roll\$3))) not ((rebar and (polymer\$3 or powder or epoxy) and (bend\$3 or deform\$3 or wind\$3 or roll\$3)).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 11:57